


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

J2EE application performance monitoring and i

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)"COM" is a very common word and was not included in your search. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)
**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 215 for **J2EE application performance monitoring and interceptor and COM objects**. (0.15 seconds)

### [Architecture-Based Autonomous Repair Management: An Application to J2EE Clusters](#) - all 13 versions »

S Bouchenak, F Boyer, D Hagimont, S Krakowiak, A ... - 24th IEEE Symposium on Reliable Distributed Systems (SRDS), 2005 - doi.ieeecomputersociety.org

... for activation and **monitoring**; its internal ... for maximal availability or maximal **performance** ... repair management architecture to **J2EE application** server clusters ...[Cited by 14](#) - [Related Articles](#) - [Web Search](#) - [BI Direct](#)

### [TESTEJB-A Measurement Framework for EJBs](#) - all 2 versions »

M Meyerhofer, C Neumann - Edited by Ivica Crnkovic, Judith A. Stafford, Heinz W. ..., 2004 - Springer

... Based on the **interceptor** pattern, it has been shown how this is ... 6. Mos, A., Murphy, J.: New methods for **performance monitoring** of **J2EE application** servers. ...[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

### [Monitoring and characterization of component-based systems with global causality capture](#) - all 9 versions »

J Li - Distributed Computing Systems, 2003. Proceedings. 23rd ..., 2003 - IEEE Xplore IEEE

... component technologies like CORBA, COM and **J2EE**. ... with the existing distributed **performance monitoring** and distributed ... in the distributed **application** even when ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [BI Direct](#)

### [\[PDF\] An approach to the transparent management instrumentation of distributed applications](#) - all 4 versions »

VA Villagra, JI Asensio, JE LopezDeVergara, JJ ... - Approved for its publication as a short paper in the ..., 2002 - jungla.dit.upm.es

... allowed the instrumentation of generic **application performance**. ... based e-commerce **application** ... in proceedings ... Community Process, "**J2EE Management**", Java ...[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

### [Interceptor based constraint violation detection](#) - all 3 versions »

Q Wang, A Mathur - Engineering of Computer-Based Systems, 2005. ECBS'05. 12th ..., 2005 - IEEE Xplore IEEE

... optimization are mainly about **performance**, self-healing ... In **J2EE-based application**, each Java components ... The current **J2EE** specification supports constraints ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#)

### [Engineering Runtime Requirements-Monitoring Systems using MDA Technologies](#) - all 7 versions »

J Skene, W Emmerich - TGC - Springer

... we implemented a small **J2EE application** called The ... Service **performance** information is passed to the ... Engineering Runtime Requirements-Monitoring Systems 329 ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BI Direct](#)

**[PDF] Non-intrusive end-to-end runtime path tracing for J2EE systems - all 6 versions »**

T Parsons, A Mos, J Murphy - IEE Proceedings- Software, 2006 - cs.ucl.ie

... to (1) unpack the entire **J2EE application**, (2) parse ... An **application** can be easily monitored (R4) by instru ... information logged (for instance **performance metrics** ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [EL Direct](#)

**[PDF] An approach to adaptive performance tuning of application servers**

G Ferrari, S Shrivastava, P Ezhicheivan - ... Workshop on QoS in **Application Servers**, in conjunction with ..., 2004 - cs.nci.ac.uk

... best' configuration settings by **monitoring** of the ... **application** for measuring **performance** and scalability ... in conjunction with **J2EE application** server vendors. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**The Model and Implementation of Component Array Container**

L Zhao, H Gang, M Hong - Proceedings of COMPSAC 2006 - doi.ieeecomputersociety.org

... PKUAS [6] is a **J2EE-compliant application** ... Computer Software and **Applications Conference** (COMPSAC ... A Framework for Automatic **Performance Monitoring**, Analysis and ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

**A Framework for Application Server Based Web Services Management - all 3 versions »**

H Guan, B Jin, J Wei, W Xu, N Chen - Proceedings of the 12th Asia-Pacific Software Engineering ... , 2005 - doi.ieeecomputersociety.org

... Web Services for **J2EE 1.1**(Web Services specification). ... 10] Zhang WB, Yang B, Jin BH, Chen NJ, Huang T. **Performance tuning for application** server OnceAS. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Key authors: **S Bouchenak** - **M Fleury** - **A Mos** - **F Boyer** - **D Hagimont**

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

J2EE application performance moni

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

com objects and creating wrapper with vtable <

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

The following words are very common and were not included in your search: com with. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 122 for **com objects and creating wrapper with vtable <near> index**. (0.51 seconds)

[Extending a Scientific Application with Scripting Capabilities](#) - all 5 versions »

F Basegmez - COMPUTING IN SCIENCE & ENGINEERING, 2002 - doi.ieeecs.org

... this is equivalent to **creating the object** x = class\_ ... add the Python method setX as a **wrapper** of Vector2d's ... do many more things, such as **creating** properties and ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] A Component Object Model Binding for MPI](#) - all 2 versions »

Y Dandass, A Skjellum - cse.msstate.edu

... entire MPI functionality ourselves, we chose to **create** a COM **wrapper** around MPI ... file, and invokes specialized interfaces to instantiate a component **object**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Using COM Objects from Java](#) - all 2 versions »

C Verbowski - Microsoft, Corporation, 1999 - research.microsoft.com

... Figure 2: Abstract representation of a Java-Callable **Wrapper** in the Microsoft ... The Microsoft VM internally maintains an STA thread for **creating** COM **objects**. ...

[Cited by 7](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[\[PDF\] DDL: Customizing the Dynamic Linking Process for Program Analysis and Evolution](#)

STNVN Abbas, JE Cook - cs.nmsu.edu

... problem we write a new (non- constructor) method in our **wrapper** class and ... demand that an ex- plicit constructor call should **create** a temporary **object** of the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[\[PDF\] DDL: Extending Dynamic Linking for Program Customization, Analysis, and Evolution](#)

STNVN Abbas, JE Cook - cs.nmsu.edu

... we write a new (non-constructor) method in our **wrapper** class and ... semantics demand that an explicit constructor call should **create** a temporary **object** of the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Dynamic software wrapper - all 2 versions »](#)

DP Chieu, D Hollingworth - US Patent 6,587,888, 2003 - freepatentonline.com

... that have non-exported functions, the **wrapper** preferably should ... For example, the system may **create an object** ... Using the dummy DCOM **object**, the interceptor code ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[Open runtime platform: flexibility with performance using interfaces - all 2 versions »](#)

M Cierniak, BT Lewis, JM Stichnoth - Proceedings of the 2002 joint ACM-ISCOPE conference on Java ..., 2002 - portal.acm.org

... frame Java frame Java frame **Wrapper** Native frame ... JIT analyzes the constructors of the exception **objects**. ... generates code that, instead of **creating** the exception ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] The Microsoft Repository - all 11 versions »](#)

PA Bernstein, B Harry, P Sanders, D Shutt, J ... - Proceedings of the 23rd International Conference on Very ..., 1997 - acm.org

... is called aggregation if the **wrapper** passes through ... meaning) of member entries in the **viable**, COM is ... engine then provides methods for **creating objects** that are ...

[Cited by 49](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Microsoft repository version 2 and the open information model - all 9 versions »](#)

PA Bernstein, T Bergstraesser, J Carlson, S Pal, P ... - Information Systems, 1999 - Elsevier

... is called aggregation if the **wrapper** exposes any ... of member entries in the **viable**, COM is ... The repository engine provides methods for **creating objects** that are ...

[Cited by 75](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PDF\] Runtime Polymorphic Generic Programming—Mixing Objects and Concepts in ConceptC+ - all 2 versions »](#)

M Marcus, J Järvi, S Parenti - speakeasy.net

... comprising machinery for **creating** non- intrusive runtime-polymorphic value **wrappers**, parametrized by ... to maintain heterogeneous collections of related **objects**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Key authors: [P Bernstein](#) - [M Cierniak](#) - [B Lewis](#) - [P Sanders](#) - [D Shutt](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

com objects and creating wrapper w

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)


[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"com" is a very common word and was not included in your search. [\[details\]](#)

The "AND" operator is unnecessary - we include all search terms by default. [\[details\]](#)

**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 7,340 for [com objects <near> timestamp and instrumenting](#). (0.48 seconds)

[Building Java program analysis tools using Javanga](#) - [all 4 versions »](#)

D Buytaert, J Maebe, L Eeckhout, K De Bosschere - Conference on Object Oriented Programming Systems Languages ..., 2006 - portal.acm.org

... The skeleton of the **instrumentation** specification is shown in ... **object\_info\_t**; 5: static

unsigned long long **timestamp** = 0; 6: after **object::create** (location\_t ...

[Related Articles](#) - [Web Search](#)

[Instrumentation and Performance Monitoring of Distributed Systems](#)

RD McLaren, WA Rogers - Distributed Memory Computing Conference, 1990., Proceedings ..., 1990 - IEEEexplore.IEEE.org

... is limited to half the period of the **timestamp** clock. ... i Figure 2- ES-Ilit

**Instrumentation** System ... and ex( cution model in which **objects** communicate through ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

[Visualizing the behavior of object-oriented systems](#) - [all 5 versions »](#)

W De Pauw, R Helm, D Kimelman, J Viissides - Proceedings of the eighth annual conference on Object- ..., 1993 - portal.acm.org

... A smarter parsing script coupled with additional **instrumentation** code would ... c

**time-stamp object\_ptr** class-name source-line signature constructor call ...

[Cited by 122](#) - [Related Articles](#) - [Web Search](#) - [Full Direct](#)

[An Adaptive Approach to Object-Oriented Real-Time Computing](#) - [all 13 versions »](#)

E Neit, M Gergeleit, M Mock - Proceedings of First International Symposium on Object- ..., doi.IEEEcomputersociety.org

... Identifier) as well as its dynamic context (**object-id**, ac- tivity-id), and a

**time-stamp**. Putting sensors into the ap- plication is called **instrumentation**. ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] Omniscient Debugging](#) - [all 3 versions »](#)

B Lewis - Dr. Dobb's Journal, 2005 - nejug.org

... Display How to indicate that the current **time stamp** is in the middle of ... **Instrumentation**

is fast. ... The original design had a list of **Timestamp objects**, which ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BRISK: a portable and flexible distributed instrumentation system](#) - [all 15 versions »](#)

A Bakic, MW Mutka, DT Rover - Software Practice and Experience, 2000 - doi.wiley.com

... **instrumentation** data to a list of CORBA-enabled visual **objects** [16 ... ts-ordered heap

(ts = **timestamp**) ... A 'time-stamp type', X TS, allows the user to embed BRISK ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [Full Direct](#)

[Precision measurement complex for determining the positions of objects in near space](#) - [all 2 versions »](#)

VK Taradil, AV Sergeev, NV Karpov - Measurement Techniques, 2006 - Springer

... The **time stamp** of the event is displayed with error up to ... process for astronomer-

mic and photometric observations of **near-space objects** with different ...

[Web Search](#) - [Full Direct](#)

[Method and system for automated analysis of the performance of remote method invocations in multi-...](#)

B Greifeneder - US Patent 20,070,189,055, 2007 - freepatentsonline.com

... for **object** serialization and **object** deserialization ... method entry and exit **timestamp**

represent the ... The **instrumentation** engine preferably places further transport ...

[Cached](#) - [Web Search](#)

[\[PDF\] Recording events to analyze programs](#)

B Lewis - Filman et al.[414] - st.informatik.tu-darmstadt.de

... locks the entire debugger, a new **time stamp** is generated ... **Instrumenting** methods larger

than some size will exceed the ... 147 <change(String, String, Object, TracEL ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[High-Speed Distributed Data Handling for On-Line Instrumentation Systems](#) - [all 11 versions ...](#)

WE Johnston, W Greiman, G Hoo, J Lee, B Tierney, C ... - Supercomputing, ACM/IEEE 1997 Conference, 1997 - [ieeexplore.ieee.org](#)

... When data sets are identified by the **object** manager and are requested ... **Timestamp**  
consistency is critical for this approach, and is provided by ... TS = **time stamp** ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

Key authors: [W De Pauw](#) - [G Abowd](#) - [R Helm](#) - [D Kimelman](#) - [J Vlissides](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

com objects <near> timestamp and

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google